


ROOF FRAMING PLAN
Elevation: T.O.S. as shown



SEE PARTIAL PLAN SHEET E2

1. E.O.R. TO VERIFY ELEVATION AND LOCATIONS OF ALL MEMBERS.

FOR FABRICATION

Jan 13 2011

NOTE(S):
1. CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS AND ELEVATIONS PRIOR TO FABRICATION AND INSTALLATION.

REVISION	DATE	BY	CHK'D BY	DATE
1	11-29-10	HMN	VP	11-29-10
2	01-04-11	HMN	VP	01-04-11
3	01-06-11	HMN	VP	01-06-11
4	01-13-11	HMN	VP	01-13-11

SPECIFICATIONS		FIELD BOLTING REQUIREMENT U.N.O.		REF. DESIGN DRG. NO.	REF. ERECTION DRG. NO.
"M" ASTM	A992	BOLT TYPE: A325N WASHER TYPE: F436 INSTALLATION: SNUG TIGHT		S201	EB3, EB4
PIPE ASTM	A53 GRB	HOLE DIA. 13/16 U.N.O.		DRAWN BY	HMN/PC
TUBE ASTM	A500-B	CLEAN: SSPC- SP3		CHECKED BY	VP
PLATE ASTM	A36	PAINT: 1. RUST INHIBITIVE PAINT, EXCEPT FOR EMBED.		ENG. APPROVAL	
ELECTRODE	E 70xxLH	TITLE		DAVE & BUSTER'S	
		SIZE		JOB NUMBER	REVISION
		D		1037	3
		SCALE		DRAWING NO.	
		NONE		E1	

Jan 13 2011 04:07:44 PM LAST PLOTTED